ODISHA POWER GENERATION CORPORATION LTD.

(A Government Company of the State of Odisha) CIN: U401040R1984SG001429

Ib Thermal Power Station

Banharpali, Dist.: Jharsuguda, Odisha - 768 234, India Plant Manager: (+916645) 289266, Fax: (+916645) 222-230 Factory Manager: (+916645) 222224, Fax: (+916645) 222-230



Letter No. ITPS/655/WE April 08, 2021

The Director
Ministry of Environment Forests & Climate Change
Eastern Regional Office
A/3, Chandrasekharpur,
Bhubaneswar – 751023

Dear Sir.

Sub.: Submission of annual implementation report of Ash for the period from 01-04-2020 to 31-03-2021 for Ib Thermal Power Station (2X 210 ITPS), of Odisha Power Generation Corporation.

Ref.: Fly ash Notification S.O. 763(E) Dated 14th September 1999

This has reference to the captioned subject and the cited reference. Please find here the annual implementation report of ash for 2 X 210 MW ITPS of M/s Odisha Power Generation Corporation, Jharsuguda for the period from 01-04-2020 to 31-03-2021 in dully filled in prescribed format.

Hope the above is in line with your requirement.

Thanking you,

Yours Sincerely,

Sukanta Mohapatra Director Operation (I/C)

Encl.: Annual Implementation Report of Ash

Copies to: 1. The Member Secretary, State Pollution Control Board, Bhubaneswar, Odisha 2. The Member Secretary, Central Pollution Control Board, East Arjun Nagar, Delhi

OHSAS 18001

BUREAU VERITAS
Certification

ISO 14001

BUREAU VERITAS
Certification

Fly ash Notification S.O. 763(E) Dated 14th September 1999 - Statutory compliance report for the period from 01.04.2020 to 31.03.2021

S. No.	Item	Reply		
1	Name of the Thermal Power station	Ib Thermal Power Station (2X210 MW) of Odisha Power Generation Corporation		
2	Full address including Pin code	At: Banharpali Post: Banharpali Jharsuguda-786 234, Odisha		
3	E Mail address	sitaram.sahu@opgc.co.in		
4	Name of the Nodal officer dealing with ash management with designation (not below DGM rank)	Sitaram sahu Head-EHS		
5	Telephone No	06645-289258		
6	Fax No	06645-222230		
7	Capacity of the Thermal Power station	420 MW		
8	Details of the Number of units and capacity of each unit	Units: 2 Nos Capacity: 210 MW each		
9	Coal/ Lignite consumption in 2020- 2021 (million tonnes)	2.468		
A. Ash	Generation in 2020-2021 (in tonnes)			
10	Bottom Ash	210301:		
11	Fly ash	877084		
	Total A	1096385		
B. Ash	Unutilized (in tonnes)			
12	Ash pond disposal	365395		
13	Ash Yard	0		
14	Ash Dump	0		
	Total B (12 to 14)	365395		

	Purpose for	Target	Actual					
	which ash is utilized	(as per action plan)	From ESP Dry Ash	From Pond Ash	Fr o m B ot to m A sh	Total		
15	Ash pond dyke rising		-	tada .				
16°	Cement Industry	-	-	-	•			
17	Land fill		150381	68168	-	218549		

18	Own Brick unit		1462		II Geol	1462
19*	Outside brick units other than brick kilns		8608			8608
20*	Brick kilns	-			74	
21	Own ash based products (other than bricks)	Cas .		•		
22	Ash based products (out side)	0.0			**	
23*	Road and Flyover embankments	do		497487	•	497487
24*	Back filling of mines	-	-		-	•
25	Agriculture					
26	Ready mix concrete	-)	•	-	-	
27	Asbestos	-	4800	-		4800
28*	Exports	-	-	•	-	
29	Other (Please Specify)	-	-	84 (Cenosphere)	-	84
	Total C (15 – 29)	-	165251	565739	0	730990

D. Reasons for variation from the target

- 1. Since the plant is situated in a remote location (pit head power plant located in rural area) there is very limited scope of ash utilization in brick manufacturing. More ever utilization in this particular area cannot exceed more than 2% to 3%.
- 2. Big stone quarry or low lands are not available in the locality.
- 3. Export of ash is not feasible since the site is located at a distance of 500 Km from the nearest port. Transportation from site to nearest port through rail or any other means is not feasible.
- 4. No scope available in major ash utilization area i.e. Cement Plant use for production of PPC cement. Only one cement plant is available in the vicinity i.e. M/s Ultratech Cement Ltd. M/s Ultratech off takes entire quantity of ash for cement manufacturing from its sister concern plant i.e. from M/s Aditya Aluminium (Lapanga).
- 6. Considering OPGC plant's location (Pit Head), mine void back filling of ash is the only means of utilization by which OPGC can achieve 100% ash utilization. The steps so far are as follows.
 - MCL has also been directed repeatedly by OPGC Chairman & Principal Secretary, Energy, Govt of Odisha, managing Director and Director (Operation) but no positive response has so far been received from MCL.
 - ii. In a meeting held on 24.01.2011 with Principal secretary Energy, Govt. of Odisha, CMD, MCL has given consent to give principal approval for back filling BOCM mind void but the same has not been done, so far.
 - iii. In response to the letter of Director (Operation), OPGC, dtd.24.08.2013 on the subject, Director (Tech. P&P), MCL neglected the request on the ground of BOCM expansion towards dip slide and no scope to back fill ash in running mine even though OPGC proposed for a partition bund to separate the void space from active mine for ash back filling.
 - iv. In a high-level meeting held on 13.12.2013 under the Chairmanship of Chief Secretary, GoO, directions for allotment of BOCM mine void to OPGCL were issued to MCL on 03.04.2014 by Dept. of Environment & Forest, GoO. The said directions were for taking expeditious steps on this front. However, there has not been any progress as yet.
 - v. OPGC vide letter dated 10.08.2020 had again requested Director (Tech/P&P), MCL for allotment of BOCM mine void for backfilling of ash, however Director Technical, MCL vide letter dated 28.08.2020 turned down the proposal stating integration of Lakhanpur-Belpahar-Lilari mines and extraction of further seams from these mines.
 - vi. OPGC sources entire coal from MCL mines. Coal being supplied has high ash content i.e. from 40%-45%. The utilization of this huge quantity of ash has significant cost implication. Any relief on this matter (Like cost pass through in tariff) will be immensely helpful for companies like OPGC.

^{*}However OPGC is still working on high priority to pursue MCL, involving Government & other agency to get newly allotted nearest mine void to fulfill this important regulatory obligation.

E. Efforts made by OPGCL to Maximise Utilization of Fly-Ash:

- OPGCL has installed its own Fly-Ash brick plant with production capacity of 10,000 bricks per day, and steps have been made for all the bricks that are produced being utilised in all the ongoing and upcoming construction activities of OPGC.
- 2. Further, not only is OPGCL utilizing the Fly-Ash generated from its own Project in its own brick plant, OPGCL is also supplying Fly-Ash to 6 (six) ash brick plants, which are located in and around the site of OPGCL's Project.
- 3. In order to further incentivize these brick plants to utilise the Fly-Ash from OPGCL's Project, OPGCL has extended a subsidy of Rs 150 per MT for use of Fly-Ash at its cost. However, ash utilization in brick manufacturing is limited to 2-3 % due to poor market demand.
- 4. OPGCL has entered into an agreement with Visveswariya National Institute of Technology, Nagpur ("VNIT") to devise technological advancements for enhancing ash percentage up to 90% in production of bricks and for geopolymeric use of ash in road construction.
- 5. OPGCL has been conducting various ash utilization awareness campaigns in the nearby community by way of street plays, distribution of pamphlets, etc.
- 6. Strong initiatives have been taken to identify low lying area/ stone quarries in the vicinity. Publications have been made in local newspapers for execution of low land reclamation to supply ash free of cost to the owner for proper utilization of abandoned low land. OPGC now is in process of reclaiming 3 low lying areas of 6.17 acres, 1.28 acres & 1.12 acres for which consent has been taken from State Pollution Control Board, Odisha.
- 7. Action has been initiated to utilise ash in OPGC expansion project MGR line construction.
- 8. Working to get mine voids allotment from MCL.
- 9. OPGCL has ensured that Fly-Ash ash is utilised, instead of precious earth, in the construction of embankment for ash pond as well as raising of bund height for ash pond.
- 10. OPGCL has also awarded a consultancy order to Centre For Fly Ash Research & Management ("C-FARM") headed by Dr. Vimal Kumar (Former Mission Director & Head, Fly-Ash Unit, Department of Science and Technology, Government of India) for scientific and technical advice for obtaining "Consent for mine void filling with fly ash". C-FARM is continuously deliberating with MCL, as well as with Central Mine Planning and design institute, on behalf of OPGCL for allotment of mine void for stowing ash.
- 11. A task force has been created by committee comprising representatives from CEA, MoEF &CC, Ministry of Mines, CIL, CIMFR, CMPDIL, CPCB & NTPC. The task force has listed Rampur Colliery as one of the abandoned mines for backfilling of ash nearest to OPGC. In response to the letter of CEA for a feasibility report on mine void filling, OPGC has made a preliminary survey and has found that the Rampur underground mine is at a distance of around 25 Km from the plant and can accommodate ash generated from OPGC for a period of 5 years and it is also feasible for OPGC to dispose ash in the mentioned mine void. OPGC has also proposed the name of BOCM to Central Electricity Authority which can meet the ash utilization requirement of OPGC for atleast a period of 10 years. Once the mine void is made available, OPGC shall take rapid measures to start backfilling of the mentioned mines at the earliest.

30	Estimated quantity of Pond ash in active ash pond (Pond in use) as on 31.03.2021 (million tonnes)	9.94 (Additional 1.73 million MT of ash has been disposed from Unit#3 & Unit#4)		
G.	Ash Pond details			
G .	Ash Pond details Total area ear marked for ash pond (ha)	Forest	Non forest area	Total

32	Ash ponds already filled reclaimed (ha)	Nil	Nil		Nil	
33	Ash ponds already filled up but yet to be reclaimed (ha)		Nil	98		98
34	Ash ponds in use (ha) (A	Nil	107		107	
35	Area earmarked for ash ponds yet to be construc	Nil	Nil		Nil	
Н. Г	Dry ash collection facilitie	S				
36	Whether Mechanical har dry fly ash collection is	Yes				
37	If yes for how many unit	To facilitate dry ash utilization at ITPS, 1st & 2nd field of both the Units (Unit#1 & Unit#2) has been retrofitted with dense phase dry ash collection system. Dry ash collection facility of 1100 MT capacity for utilization of dry fly ash in asbestos plant, ash brick/block & land reclamation is already in place.				
I. I	Dry fly ash storage.					
38	Daily ash generation (TPD) Capacity of storage as on 31.03.2021 (tonnes)		Capacity proposed if any in 2021-22(tonnes)			
	3004 MT *Average of 2020-21	620 MT (Silo)	Not required now, since the present storage capacity is surplus to meet dry ash off-take demand.			
J. C	apital Expenditure (Rs.	Lakhs)	1			
	Item	Expenditure in 2020-21(Rs .La	Budgetary provision in 2021-22 (Rs. Lakhs)			
39	Mechanical dry fly ash collection facility	Nil Provisions expenditures ha in the previous dry ash collecti adequate to me	years and to on facility	de he is	Nil The dry ash colladequate to meet requirement.	lection facility is et the present
40	Dry fly ash storage	-do	-			-do-
K. I	 Dispute settlement comm	ittee				
41	No. of meetings held in		If no mee	eting	s were held reas	on for the same
	Nil	During 2020-21 no such cases were brought into notice of the management.				
L. F	Provision regarding supp	ly to the brick ki	lns			
42	Whether the Thermal Po maintaining month-wise made available to each b		th w	se records mainta	ined.	

43	If yes, how many brick kilns have been supplied with fly ash	6 Nos					
	supplied with Hy asit	 Bhawani ash bricks Talibahal ash bricks Kirarama ash bricks Best ash brick 					
		5. BB ash bricks					
		6. ADCL ash bric					
		7. OPGC ash bric *Own brick plant	KS*				
D.A.	Made of Turner and Council (adultament		.1				
M.	Mode of Transport for ash (strikeout w	Whichever not applicable) Through Closed Containers/Bulkers covered with					
44	Dry Ash		ntainers/Bulk	ers covered with			
1.0		Tarpaulin					
45	Wet Ash	Low Concentration Slurry Disposal through					
		pipelines (LCSD)					
N. P	romotional Measures						
		No. of meetings/	Amount	Outlay for			
		workshops	spent in	2021-22			
		exhibition held	2020-21	(Rs. Lakhs)			
		during 2020-2021	(Rs.				
			Lakhs)				
46	Exhibitions	No awareness	NIL				
47	Seminars for awareness creations	session could be		-			
	amongst farmers for use of ash in	conducted due to					
	agriculture.	COVID-19					
:18	Workshops	pandemie issue.		3			
49	Advertisement in News Papers			0.5			
50	Advertisement in TV						
51	Advertisement in Radio			-			
52	Others (Please specify)			- 11111			
	Total N (46 to 52)						
				3.5			
0.	Administrative measures taken						
S.N	Administrative measures	Outcome					
53	Meeting with brick manufacturers	Better coordination manufacturer as a pa		e building among the			

54	Meeting with State Government/agencies	i. Appraising the area of improvement, constraints accordingly for getting support during review meeting with OSPCB & high-level Ash Utilization Committee. ii. ii.OPGCL has also awarded a consultancy order to Centre for Fly Ash Research & Management ("C-FARM") headed by Dr. Vimal Kumar (Former Mission Director & Head, Fly-Ash Unit, Department of Science and Technology, Government of India) for scientific and technical advice for obtaining "Consent for mine void filling with fly ash".
55	Any other measure (Please specify)	-

Prepared by: Parthasarathi Panda

Designation: Dy. Manager- Environment

Date: 08-04-2021

Signature of the CEO/General Manager/CE of the Thermal power station Name: Sukanta Mohapatra
Designation: Director Operation (I/C)

Date: 08.04.2021