

BOQ & PRICE BID FORMAT (NIT NO.ITPS/Unit 3 & 4/2020-2021/310002640/208 DTD.10.03.2021)

Item	Material Description	Qty	Unit	Rate (Rs)	Amount (Rs)
10	TUBE- OD 42.9 X THK 3.2 MM "TUBE- OD 42.9 MM X THK 3.2 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	25	M		
20	TUBE- OD 42.9 X THK 3.2 MM "TUBE- OD 42.9 MM X THK 3.2 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	25	M		
30	DUCT BRACING PIPE- OD 48.3 x THK 3.2 MM "DUCT BRACING PIPE- OD 48.3 x THK 3.2 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
40	DUCT BRACING PIPE- OD 48.3 x THK 3.2 MM "DUCT BRACING PIPE- OD 48.3 x THK 3.2 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
50	DUCT BRACING PIPE- OD 60.3 x THK 3.6 MM "DUCT BRACING PIPE- OD 60.3 x THK 3.6 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
60	DUCT BRACING PIPE- OD 60.3 x THK 3.6 MM "DUCT BRACING PIPE- OD 60.3 x THK 3.6 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
70	DUCT BRACING PIPE- OD 73 x THK 7.01 MM "DUCT BRACING PIPE- OD 73 x THK 7.01 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
80	DUCT BRACING PIPE- OD 73 x THK 7.01 MM "DUCT BRACING PIPE- OD 73 x THK 7.01 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
90	DUCT BRACING PIPE- OD 76 x THK 3.6 MM "DUCT BRACING PIPE- OD 76 x THK 3.6 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	500	M		
100	DUCT BRACING PIPE- OD 76 x THK 3.6 MM "DUCT BRACING PIPE- OD 76 x THK 3.6 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	500	M		
110	DUCT BRACING PIPE- OD 88.9 x THK 5.49 MM "DUCT BRACING PIPE- OD 88.9 x THK 5.49 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	500	M		

BOQ & PRICE BID FORMAT (NIT NO.ITPS/Unit 3 & 4/2020-2021/310002640/208 DTD.10.03.2021)

Item	Material Description	Qty	Unit	Rate (Rs)	Amount (Rs)
120	DUCT BRACING PIPE- OD 88.9 x THK 5.49 MM "DUCT BRACING PIPE- OD 88.9 x THK 5.49 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	500	M		
130	DUCT BRACING PIPE- OD 113.9 x THK 3.6 MM "DUCT BRACING PIPE- OD 113.9 x THK 3.6 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
140	DUCT BRACING PIPE- OD 113.9 x THK 3.6 MM "DUCT BRACING PIPE- OD 113.9 x THK 3.6 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
150	DUCT BRACING PIPE- OD 114.3 xTHK 6.02 MM "DUCT BRACING PIPE- OD 114.3 xTHK 6.02 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	375	M		
160	DUCT BRACING PIPE- OD 114.3 xTHK 6.02 MM "DUCT BRACING PIPE- OD 114.3 xTHK 6.02 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	375	M		
170	DUCT BRACING PIPE- OD 127 x THK 8 MM "DUCT BRACING PIPE- OD 127 x THK 8 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
180	DUCT BRACING PIPE- OD 127 x THK 8 MM "DUCT BRACING PIPE- OD 127 x THK 8 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
190	DUCT BRACING PIPE- OD 140.8 x THK 4.8 MM "DUCT BRACING PIPE- OD 140.8 x THK 4.8 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
200	DUCT BRACING PIPE- OD 140.8 x THK 4.8 MM "DUCT BRACING PIPE- OD 140.8 x THK 4.8 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	50	M		
210	DUCT BRACING PIPE- OD 168.5 xTHK 7.11 MM "DUCT BRACING PIPE- OD 168.5 xTHK 7.11 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	150	M		
220	DUCT BRACING PIPE- OD 168.5 xTHK 7.11 MM "DUCT BRACING PIPE- OD 168.5 xTHK 7.11 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	150	M		

BOQ & PRICE BID FORMAT (NIT NO.ITPS/Unit 3 & 4/2020-2021/3100002640/208 DTD.10.03.2021)

Item	Material Description	Qty	Unit	Rate (Rs)	Amount (Rs)
230	DUCT BRACING PIPE- OD 219.4 x THK 4 MM "DUCT BRACING PIPE- OD 219.4 x THK 4 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	25	M		
240	DUCT BRACING PIPE- OD 219.4 x THK 4 MM "DUCT BRACING PIPE- OD 219.4 x THK 4 MM MOC: IS 1161, YSt-240/ ASTM A 106 GR-B SEAMLESS TYPE APPLICATION: TO BE USED AS A DUCT SUPPORT PIPE IN HOT PA DUCT, HOT SA DUCT , ESP CONNECTING DUCT"	25	M		
TOTAL VALUE IN INR (EXCLUDING GST)					
GST EXTRA AT ACTUALS (APPLICABLE % ALONG WITH HSN CODE TO BE INDICATED IN YOUR OFFER)					