

ODISHA POWER GENERATION CORPORATION LIMITED IB THERMAL POWER STATION UNIT # 3&4

At/PO: BANHARPALI, DIST: JHARSUGUDA - 768 234 (ODISHA) TEL: (06645) 289273 Mob:8093076207

Email: arti.tiwari@opgc.co.in;sanjit.mohanty@opgc.co.in;

bkmishra@opgc.co.in;

NOTICE INVITING TENDER

NIT No. ITPS/Pur. /62/22-23

Separate Sealed bids (Two Part) in the prescribed format are invited from bona fide and financially sound reputed Agencies/ Registered Firms/Companies for supply of following materials at 2X660 MW IB Thermal Power Station, Banaharpali.

SLN	Scope of Work	Tender Cost (In Rs.)	EMD (In Rs.)	Sale of Tender document	Date of receipt & submission /Opening of technical Bid
1	PROCUREMENT OF "DIFFERENT TEMPERATURE ELEMENTS" (Two Part)	-	Rs.22,000.00	15/03/2023to 25/03/2023(H ard copy only)	Up to 3:00 PM on 15/03/2023 3:30 PM onwards on 25/03/2023

NB:

- 1. Bidders having the requisite qualifying requirements specified in the bid document shall only be considered for the work.
- 2. Further please note to submit your offer considering GST provision and its related input tax credit benefits to be passed on to OPGC

Cost of bid document (non-refundable) shall be paid by Demand Draft in favor of OPGC Ltd. drawn on State Bank of India (Code-9510)/ Union Bank of India (Code-UBIN0806625)/ Central Bank of India (Code-283899) payable at ITPS, Banharpali. Cost of bid document shall have to be submitted along with the bid and the DD towards the tender cost (separate from EMD) should be prepared on or before the last date of sale of tender, otherwise the bid shall be liable for rejection. In case of any discrepancy found between tender document submitted by the agency and the master copy in our office, the latter should prevail. No claim on this account shall be entertained. Complete and signed sealed bids in hard copy form only shall be received at Contract Cell, ITPS. Bids shall be opened at Contract Cell, ITPS in the presence of the bidders or their authorized representatives, if present at the time of opening. If the last date of issue/receipt/opening happens to be a HOLIDAY/office closed, the tender will be issued/ received/ opened at the respective time on the next working day. The photocopies of all the supporting documents required for participating in the tender mentioned in NIT/Tender paper shall be submitted along with the bid; otherwise, the bid is liable for rejection. Bids without EMD will be rejected outright.

Bids received after stipulated date & time shall not be entertained. OPGC shall not take

NIT No. ITPS/Pur./62/22-23

Date: 15/03/2023

any liability on account of any postal/courier delay. OPGC reserves the right to accept/reject any or all tenders, seek additional clarifications, split up the scope among eligible bidders or cancel the tender altogether without assigning any reasons thereof.

N.B:

For further details & downloading of Tender documents, please visit our web site www.opgc.co.in.

<u>Important:</u>Agenda/Corrigenda/ Extensions, if any, will be notified on the OPGC website only and will not be published in any other media. Bidders are requested to visit our website regularly for any amendment of the present bid till finalization of bidding process.

Sd/- GM- SCM

Date: 15/03/2023

SAFE & CLEAN POWER IS OUR COMMITMENT

NIT No. ITPS/Pur./62/22-23



INFORMATION TO BIDDERS

ODISHA POWER GENERATION CORPORATION LIMITED ("OPGC" "OWNER") AN ISO 14001 & OHSAS ORGANIZATION AND COMMITTED TO SAFETY HEALTH ENVIRONMENT INCORPORATED UNDER COMPANIES ACT 1956, INDIA. OPGC STARTED AS A WHOLLY OWNED COMPANY OF THE GOVERNMENT OF ODISHA (THE "GOO") WITH THE OBJECTIVE OF ESTABLISHING. OPERATING & MAINTAINING THERMAL POWER GENERATING STATIONS. IN THE PURSUIT OF ITS OBJECTIVE, OPGC ESTABLISHED IB THERMAL POWER STATION ("ITPS") WITH TWO UNITS OF 210 MW EACH IN THE IB VALLEY AREA OF JHARSUGUDA DISTRICT IN THE STATE OF ODISHA (UNITS 1 & 2)-PHASE-I. THE POWER PLANT COMMENCED THE COMMERCIAL OPERATION IN 1996. THE ENTIRE GENERATION FROM THESE UNITS IS CONTRACTED TO GRIDCO, THE STATE-OWNED COMPANY, ON THE BASIS OF A LONG-TERM POWER PURCHASE AGREEMENT. AS PART OF ITS CAPACITY ADDITION PROGRAM, OPGC ESTABLISHED TWO ADDITIONAL UNITS OF 2X660 MW, BASED ON SUPERCRITICAL TECHNOLOGY, ADJACENT TO THE EXISTING POWER STATION AT THE SAME LOCATION. THE PLANT SITE IS ABOUT 17 BELPAHAR RAILWAY STATION FROM AND 40 KMS. JHARSUGUDA RLY. STATION ON S.E. RLY. ON THE MUMBAI- HOWRAH MAIN LINE.

- 1.0 THE BIDS COMPLETE IN ALL RESPECT MUST BE SUBMITTED IN A SEALED ENVELOPE SUPER SCRIBED WITH TENDER ENQUIRY NUMBER, NAME OF THE WORK AND DUE DATE OF OPENING. THE BID DOCUMENTS ARE NOT TRANSFERABLE. THE BIDDER MUST SUBMIT THE FOLLOWING ALONG WITH THE BID:
 - a) EMD OF REQUISITE AMOUNT AS PER NIT SHALL BE PUT IN A SEALED ENVELOPE SEPARATELY. BID WITHOUT EMD WILL BE REJECTED OUTRIGHT.
 - b) PHOTOCOPIES OF REGISTRATION CERTIFICATE, INCOME TAX PAN AND GSTN.
 - c) BID DOCUMENTS DULY SIGNED & STAMPED IN ALL PAGES AS A TOKEN OF ACCEPTANCE.

Date: 15/03/2023

2.0 ORIGINAL PRICE BID DULY FILLED IN, SIGNED & STAMPED ON EACH PAGE SHALL BE SUBMITTED. ANY PRICE BREAKUP (IF REQUIRED) MUST BE SUBMITTED SEPARATELY. THE RATES OFFERED BY THE BIDDER SHALL BE CLEARLY WRITTEN IN ENGLISH (CLEARLY HAND WRITTEN OR TYPED) BOTH IN WORDS AND FIGURES AND SHALL BE FREE FROM ANY ABERRATIONS, DELETIONS, CORRECTIONS AND OVERWRITING. IN CASE OF ANY ILLEGIBILITY OF THE OFFER SUBMITTED BY BIDDER THE INTERPRETATION BY OPGC SHALL BE FINAL AND BINDING ON THE

NIT No. ITPS/Pur./62/22-23

- BIDDER. INSERTION, POSTSCRIPT, ADDITION AND ALTERATION SHALL NOT BE ACCEPTED AFTER SUBMISSION OF THE BID.
- 3.0 NOTE: TENDERS SUBMITTED WITHOUT THE ABOVE REQUIREMENTS SHALL BE LIABLE FOR REJECTION.
- 4.0 BIDDERS ARE ADVISED TO SUBMIT THE TENDER BASED STRICTLY ON THE TERMS AND CONDITIONS AND SPECIFICATIONS CONTAINED IN THE TENDER DOCUMENTS AND NOT STIPULATE ANY DEVIATIONS IN NORMAL CASE.
- 5.0 OPGC WILL AWARD THE CONTRACT TO THE SUCCESSFUL BIDDER WHOSE BID HAS BEEN FOUND THE EVALUATED LOWEST I.E. ON L-1 BASIS.
- 6.0 OPGC RESERVES THE RIGHT TO EVALUATE THE QUOTATION ON SUCH DEVIATIONS HAVING FINANCIAL IMPLICATIONS BY ADDING THE COST DETERMINED BY OPGC.
- 7.0 WHEREVER IT IS MENTIONED IN THE SPECIFICATION THAT THE CONTRACTOR SHALL PERFORM CERTAIN WORK OR PROVIDE CERTAIN FACILITIES, IT IS UNDERSTOOD THAT THE CONTRACTOR SHALL DO SO AT HIS COST.
- 8.0 BEFORE QUOTING THE RATES, THE BIDDER SHOULD GO THROUGH THE SPECIFICATIONS, SCOPE OF WORK, AND SPECIAL CONDITION OF CONTRACTS ETC. AND GET HIMSELF FULLY CONVERSANT WITH THEM.
- 9.0 THE DETAILS OF ITEMS IN THE PRICE SCHEDULE SHALL BE READ IN CONJUNCTION WITH THE CORRESPONDING TECHNICAL SPECIFICATIONS. ITEMS OF WORK PROVIDED IN THE PRICE SCHEDULE BUT NOT COVERED IN THE TECHNICAL SPECIFICATIONS SHALL BE EXECUTED STRICTLY AS PER INSTRUCTIONS OF ENGINEER IN CHARGE.
- 10.0 THE BIDDERS SHALL OUOTE RATES INCLUSIVE OF THE COMPLETE COST TOWARDS CONSUMABLES, TOOLS AND TACKLES, EQUIPMENTS, LABOUR, LEVIES, TAXES AND DUTIES IF ANY, ALL SAFETY PPE'S AS PER OPGC NORMS TO ALL WORKMEN, RECTIFICATION, MAINTENANCE TILL OVER, HANDING SUPERVISION OVERHEADS, **PROFITS SPECIFICALLY** INCIDENTAL CHARGES NOT **MENTIONED** BUT REASONABLY IMPLIED AND NECESSARY TO COMPLETE THE WORK ACCORDING TO CONTRACT.
- 11.0 OPGC RESERVES THE RIGHTS OF ACCEPTING THE WHOLE OR ANY PART OF THE TENDER AND BIDDER SHALL BE BOUND TO PERFORM THE SAME AT THEIR QUOTED RATES.

Note:

- Item wise HSN Code with GST rate applicable to be indicated in the offer
- Further please note to submit your offer considering GST provision and its related input tax credit benefits to be passed on to OPGC
- Dealer/ Distributor/Channel Partner should enclose valid authorization certificate from principal manufacturer.
- Vendors are requested to kindly furnish your PAN, GST No.
- Tender Specification/Make for Supply of aforementioned items shall be as per the tender specification & BOQ.
- Bidders has to follow the general instruction while submitting the price bid.

- Bank Mandate form to be submitted to make your payment through RTGS/NET.
- Vendors are requested to send their **Sealed & Secured Bid (Two Part)** subscribing the tender number, date and due date on the envelope. Mail offer may not consider at the time of price opening.
- The Tender shall be accompanied by Earnest Money Deposit (EMD) @ Rs.22,000.00. The Earnest Money offered shall be in shape of Demand Draft/Pay Order/Bank Guarantee (BG as per attached format & shall be valid for 06 months) in favor of ODISHA Power Generation Corporation Ltd. drawn on State Bank of India (Code-9510)/ Union Bank of India (Code-UBIN0806625)/ Central Bank of India (Code-283899).
- All Micro & Small Enterprises (MSEs) who are registered with DIC/KVIC/KVIB/Coir Board/NSIC/DHH/ Udyog Aadhar Memorandum are eligible to get the benefit of exemption from payment of EMD & Tender cost and to get the exemption, the participating bidders have to obtain/register as MSME for the specific service/supply of goods/both.
- To get the exemption of EMDs &Tender Fee, the party has to make an application to the head of Supply Chain Management (SCM) who is conducting tendering process along with proof of documents regarding eligibility of the exemption at least 2 days before the last day of bid submission. The HOD after due examination will allow to participate without submission of EMD&Tender Fee & the same has to be communicated to bidder in writing.
- The Earnest Money of all unsuccessful Bidders will be returned within thirty (30) days after the award of the Contract.
- Any Tender not accompanied with Earnest Money in accordance with aforesaid provisions shall be rejected by the Owner as non-responsive Bid.
- No interest will be payable by the Owner on the said amount covered under Earnest Money/ other Security Deposits.
- On finalization of Tender, Earnest Money deposited in form of DD of successful Bidder will be treated as part of the initial security at the option of the said Contractor or shall be returned to the successful bidder at his option.
- A Bidder shall submit the Tender which satisfies each and every condition laid down in this notice and other tender documents, failing which the Tender will be liable to be rejected.
- The Odisha Power Generation Corporation Ltd. do not bind themselves to accept the lowest or any tender or to give any reasons for their decision. The Owner reserves the right to allow the Public Sector Undertakings price preference facilities as admissible under existing Govt. policy. The prospective Bidders may apprise themselves of the relevant Govt. notification in this regard before submission of their bid. The Odisha Power Generation Corporation Ltd. reserves the right of accepting the whole or any part of the Tender or split the total scope of work among eligible Bidders and Bidder(s) shall be bound to perform the same at his/their quoted rates.
- OPGC reserves the right to accept/ reject any or all tenders, split up the scope among eligible bidders or cancel the tender altogether without assigning any reason thereof.

- Bidder has to submit the price bid as per the price bid format.
- Bid documents duly signed & stamped in all pages as a token of acceptance.
- Original price bid duly filled in, signed & stamped on each page shall be submitted. Any price breakup (if required) must be submitted separately. The rates offered by the bidder shall be clearly written in English (clearly hand written or typed) both in words and figures and shall be free from any aberrations, deletions, and corrections and overwriting. In case of any illegibility of the offer submitted by bidder the interpretation by OPGC shall be final and binding on the bidder. Insertion, postscript, addition and alteration shall not be accepted after submission of the bid.
- Bidders are advised to submit the tender based strictly on the terms and conditions and specifications contained in the tender documents and not stipulate any deviations in normal case.
- Vendors are requested to submit their seal offers at our office by sending through COURIER/ SPEED POST/REGISTER POST/By Person.
- OPGC will award the contract to the successful bidder whose bid (offered/evaluated) has been found the lowest i.e., on L-1 basis.
- OPGC reserves the right to evaluate the quotation on such deviations having financial implications by adding the cost determined by OPGC.
- Wherever it is mentioned in the specification that the contractor shall perform certain work or provide certain facilities, it is understood that the contractor shall do so at his own cost.
- Before quoting the rates, the Bidder should go through the specifications, scope of work, special condition of contracts etc. and get himself fully conversant with them.
- The details of items in the price schedule shall be read in conjunction with the corresponding technical specifications. Items of work provided in the price schedule but not covered in the technical specifications shall be executed strictly as per instructions of Engineer in charge.
- Rate will be valid for the 1 year from date of award of contract. Extension/Repeat order can be placed as per requirement of the OPGC for a period of 6 months for supply.
- Delivery: Material shall be required within 20-30 days on F.O.R. site Basis from the date of placement of purchase order on successful bidder.
- OPGC reserves the rights of accepting the whole or any part of the tender and bidder shall be bound to perform the same at their quoted rates.

Note: Tenders submitted without the above requirements shall be liable for rejection.

PRICE OFFERED SHOULD BE FOR DESTINATION (OUR SITE) INCLUDING FREIGHT CHARGE, IB THERMAL POWER STATION, P & F, INSURANCE EXCEPT GST WHICH IS TO BE EXTRA ARE TO BE INDICATED IN TERMS OF PERCENTAGE OF BASIC PRICE OR WILL BE LOADED MAXIMUM WHILE COMPARING. 100% PAYMENT WITHIN 30 DAYS OF RECEIPT & ACCEPTANCE OF MATERIALS. OFFER MAY NOT CONSIDER WITHOUT EMD. PLEASE ENCLOSE PRODUCT CATALOGUE & COMPANY PRICE LIST, OFFER WILL REMAIN VALID FOR A PERIOD OF 180 DAYS FROM THE DATE OF TENDER OPENING. TDS

@20% SHOULD BE DEDUCTED FROM YOUR BILL IN CASE OF NON-SUBMISSION OF PAN DETAILS.

BIDS RECEIVED AFTER STIPULATED DATE & TIME SHALL NOT BE ENTERTAINED. OPGC SHALL NOT TAKE ANY LIABILITY ON ACCOUNT OF ANY POSTAL/COURIER DELAY. OPGC RESERVES THE RIGHT TO ACCEPT / REJECT ANY OR ALL TENDERS, SEEK ADDITIONAL CLARIFICATIONS, SPLIT UP THE SCOPE AMONG ELIGIBLE BIDDERS OR CANCEL THE TENDER ALTOGETHER WITHOUT ASSIGNING ANY REASONS THEREOF.

GENERAL INSTRUCTIONS

- 1.0 EACH QUOTATION SHOULD BE SENT IN PROPERLY SEALED ENVELOPE ADDRESSED TO THE GM (PROCUREMENT DEPT.)- UNIT 3&4, IB THERMAL POWER STATION, BANHARPALI, DIST. JHARSUGUDA, PIN: 768234. THE ENVELOPE SHOULD BEAR THE TENDERER'S DISTINCT RUBBER STAMP. TENDER NO. ______ DUE ON DT._____ SHOULD INVARIABLY BE GIVEN ON THE COVER.
- 2.0 IN CASE OF ITEMS OF SPECIFIC MAKE, ONLY MANUFACTURERS AND THEIR ACCREDITED AGENTS/STOCKIEST/AUTHORIZED DEALERS ARE ENTITLED TO QUOTE. FOR THIS THEY SHOULD SUBMIT AN ATTESTED COPY OF THE PRINTED PRICE LIST ALONG WITH TENDER.
- 3.0 THE TENDERS SUBMITTED MUST BE FREE FROM OVER WRITINGS OR EROSIONS. CORRECTIONS & ADDITIONS IF ANY MUST BE ATTESTED. INCOMPLETE TENDER SHOULD NOT BE SUBMITTED. TENDERS RECEIVED AFTER DUE DATE OF OPENING WILL NOT BE ENTERTAINED.
- 4.0 THE REQUIRED EMD IN SHAPE OF DD DRAWN IN FAVOUR OF "ODISSA POWER GENERATION CORPORATION LIMITED" PAYABLE AT SBI, IB THERMAL POWER STATION, BANHARPALI, CODE NO.9510, / CENTRAL BANK OF INDIA, BELPAHAR (CODE-3899)/ UNION BANK OF INDIA, ADHAPADA (CODE-UBIN0806625) SHOULD INVARIABLY BE ENCLOSED WITH THE TENDER.
- 5.0 NO INTEREST WILL BE PAYABLE BY THE OWNER ON THE SAID AMOUNT COVERED UNDER EARNEST MONEY/ OTHER SECURITY DEPOSITS.
- 6.0 THE OFFER GIVEN MUST REMAIN VALID FOR A PERIOD OF 180 DAYS FROM THE DATE OF OPENING OF BID.
- 7.0 RATE WILL BE VALID FOR 1 YEAR FROM DATE OF AWARD OF CONTRACT.
- 8.0 MANUALS/PAMPHLETS/LEAFLETS AND DRAWINGS ILLUSTRATING TECHNICAL DETAILS/YEAR OF MANUFACTURE, MAKERS NAME AND COUNTRY OF ORIGIN MUST BE ENCLOSED WITH THE TENDER, SAMPLE IF REQUIRED SHOULD BE SUBMITTED ALONG WITH TENDER.OPGC WILL NOT PROVIDE ANY DRAWING TO THE BIDDER.
- 9.0 THE PRICE QUOTED SHOULD BE FIRM AND DELIVERY F.O.R. DESTINATION INCLUSIVE OF PACKING, FORWARDING, TRANSPORTATION AND INSURANCE CHARGES EXCEPT GST WHICH IS TO BE EXTRA AS ACTUAL.
- 10.0 ACTUAL/PERCENTAGE OF SALES TAX/EXCISE DUTY LEVIABLE AND DECLARED TO BE CHARGED SHOULD BE DISTINCTLY SHOWN ALONG WITH PRICE QUOTED. WHERE IT IS NOT MENTIONED CLAIMS FOR PAYMENT OF SALES TAX AND EXCISE DUTY SHALL NOT BE ENTERTAINED ON ANY GROUND. SALES TAX REGISTRATION NUMBER MUST BE INDICATED INVARIABLY.
- 11.0 THE TENDERER SHOULD BE ABLE TO COMPLETE DELIVERY WITHIN 20-30DAYS FROM THE DATE OF RECEIPT OF PURCHASE ORDER.
- 12.0 THE TENDERER SHOULD BE AGREEABLY TO OUR PAYMENT TERMS I.E 100% WITHIN 30 DAYS OF RECEIPT AND VERIFICATION OF MATERIALS AT OUR SITE.

- 13.0 QUALITY OF MATERIALS TO BE SUPPLIED SHOULD BE BRAND NEW, FREE FROM ALL FLAWS, GOOD FINISH AND SHOULD BE AS PER TECHNICAL SPECIFICATION AND RELEVANT TO IS SPECIFICATION.
- 14.0 THE TENDER MUST ACCOMPANY PHOTO COPY OF LATEST & VALID INCOME TAX CLEARANCE CERTIFICATE & GST CERTIFICATE WITHOUT WHICH TENDER WILL BE REJECTED.
- 15.0 DESTINATION MEANS CENTRAL STORES, IB THERMAL POWER STATION, AND BANHARPALI.
- 16.0 WHENEVER TENDERERS HAVE ENTERED INTO RATE CONTRACT WITH DGS&D OR EPM, THE WILL INDICATE THE SAME IN THEIR TENDERS AND SUBMIT A COPY OF RATE CONTRACT AS A PROOF OF CLAIM.
- 17.0 THE QUANTITY INDICATED IN THIS ENQUIRY IS PROVISIONAL AND SUBJECT TO CHANGE AS PER PLANT REQUIREMENT, WHICH MAY INCREASE OR DECREASE DURING THE CONTRACT PERIOD. OPGC HAS NO OBLIGATION TO RECEIVE THE FULL ORDERED QUANTITY.
- 18.0 SUPPLIER HAVING PAST EXPERIENCE OF SUPPLYING SIMILAR ITEMS TO OTHER THERMAL POWER STATIONS MAY SUBMIT A PHOTO COPY OF THE P.O. ALONG WITH THE QUOTATION.
- 19.0 WARRANTY WILL BE MINIMUM OF 12 MONTHS FROM DATE OF DISTPATCH.WARRANTY & TEST CERTIFICATE HAS TO BE PROVIDED ALONG WITH MATERIAL.
- 20.0 THE UNDERSIGNED RESERVES THE RIGHT TO ACCEPT/REJECT ANY OR ALL THE TENDER WITHOUT ASSIGNING ANY REASON THEREOF.
- 21.0 PENALTY FOR DELAY IN DELIVERY: THE VENDOR IS LIABLE TO PAY PENALTY AT THE RATE OF 0.5 % OF THE COST OF UNDELIVERED MATERIALS PER WEEK OR PART THEREOF SUBJECT TO MAXIMUM 05 % OF THE COST OF UNDELIVERED MATERIALS. IF DELAY IS BEYOND 10 WEEKS OR LESS DEPENDING UPON THE REQUIREMENT, THE BUYER RESERVE THE RIGHT TO CANCEL THE P.O. AND COLLECT THE MATERIALS FROM ANY OTHER SOURCE AT THE RISK OF ORIGINAL SUPPLIER WITHOUT MAKING ANY REFERENCE TO HIM. THE ADDITIONAL FINANCIAL INVOLVEMENT OCCURS IF ANY FROM PROCURING OTHER SOURCE SHALL BE RECOVERED FROM YOU.

22.0 COMMERCIAL EVALUATION:

a) PREPARATION OF COMPARATIVE STATEMENT

VENDOR SHOULD NOTE FOLLOWING LOADING FACTORS TO BE USED BY OPGC DURING EVALUATION PROCESS IN CASE THE SAME HAS NOT BEEN CONSIDERD DURING OFFER SUBMISSION:

 P&F CHARGES
 2%

 FREIGHT LESS THAN 300 KMS
 3%

 300 KMS. TO 500 KMS.
 4%

 500 KMS. TO 1000 KMS.
 5%

 ABOVE 1000 KMS.
 6%

 INSURANCE
 0.086%

NOTE: PERCENTAGE LOADING WILL BE LIMITED TO FULL TRUCK/TRAILER LOAD RATE FOR EACH TRUCK LOAD).

b) PAYMENT TERMS LOADING

1.5% PER MONTH (WHEREVER PARTIES HAVE QUOTED 100% THROUGH BANK/ADVANCE AGAINST OUR STANDARD AND PAYMENT TERMS OF BID DOCUMENTS).

IN CASE OF PAYMENT THROUGH BANK LOADING FOR A PERIOD 30 DAYS AND IN CASE OF ADVANCE PAYMENT ALONG WITH P.O. THE LOADING FOR THE PERIOD OF DELIVERY PERIOD PLUS 30 DAYS, MAY BE TAKEN. IN CASE OF 90% THROUGH BANK & BALANCE 10% WITHIN 30 DAYS AFTER RECEIPT AND ACCEPTANCE OF MATERIALS.

LOADING FACTOR WILL BE 1.5*0.9= 1.35%. ACCORDINGLY, FOR OTHER PAYMENT TERMS LOADING FACTORS WILL BE CALCULATED.

c) DELIVERY TERM LOADING

IF THE DELIVERY PERIOD REQUIRED AS PER BID REQUIREMENT IS DEVIATED THE LOADING SHALL BE DONE @0.5% PER WEEK OR PART THEREOF FOR THE PERIOD OVER AND ABOVE THE STIPULATED DELIVERY PERIOD.

23.0 LOADING PROCEDURES:

BASIC PRICE

PACKING & FORWARDING CHARGES (ON BASIC PRICE ONLY)

FREIGHT ON (BASIC + P&F)

INSURANCE ON (BASIC + P&F + FREIGHT)

GST (BASIC + P&F

FREIGHT+INSURANCE)

PAYMENT TERMS LOADING ON (BASIC + P&F + FREIGHT+GST)
DELIVERY TERM LOADING ON (BASIC + P&F + FREIGHT+GST)

- 24.0 WEIGHT/LENGTH VARIATION:IN CASE THE PAYMENT IS DONE ON WEIGHING THE CONSIGNMENT AT SITE, ALLOWABLE TOLERANCE OF +/□ 0.25% SHALL BE APPLICABLE. THIS TOLERANCE SHALL BE ALLOWED AS WEIGH BRIDGE TOLERANCE DUE TO WEIGHMENT IN TWO DIFFERENT WEIGH BRIDGE (IF AVAILABLE). FOR ANY VARIATION BEYOND THIS ALLOWABLE TOLERANCE NECESSARY ADJUSTMENT SHALL BE MADE DURING RELEASING PAYMENT BY WAY OF SUBMISSION OF CREDIT NOTE BY THE VENDOR. IF THE WEIGHT VARIATION IS +/- 0.25% FROM THE INVOICED WEIGHT/CHALLAN WEIGHT THE INVOICED WEIGHT WILL BE ACCEPTED FOR THE PURPOSE OF ACCOUNTAL AS WELL AS PAYMENT. IF THERE IS THREE CONTINUOS NEGATIVE TOLERANCE IS FOUND NO MORE TOLERANCE SHALL BE ALLOWED. VENDOR SHALL HAVE TO SUBMIT THE CREDIT AS PER WEIGHMENT BY OPGC.
- 25.0 FORCE MAJEURE: ANY DELAY OR FAILURE TO PERFORM THE CONTRACT BY EITHER PARTY CAUSED BY ACTS OF GOD OR ACTS OF GOVERNMENT OR ANY DIRECTION OR RESTRICTION IMPOSED BY GOVERNMENT OF INDIA WHICH MAY AFFECT THE CONTRACT OR THE PUBLIC ENEMY OR CONTINGENCIES LIKE STRIKES, RIOTS ETC. SHALL NOT BE CONSIDERED AS DEFAULT FOR THE PERFORMANCE OF THE CONTRACT OR GIVE RISE TO ANY CLAIM FOR DAMAGE. WITHIN 7 DAYS OF OCCURRENCE AND CESSATION OF THE EVENT(S), THE OTHER PARTY SHALL BE NOTIFIED. ONLY THOSE EVENTS OF FORCE MAJEURE WHICH IMPEDES THE EXECUTION OF THE CONTRACT AT THE TIME OF ITS OCCURRENCE SHALL BE TAKEN INTO COGNIZANCE.
- 26.0 PATENTS, ROYALTIES, SELLER'S LIABILITY AND COMPLIANCE OF REGULATIONS: VENDOR SHALL PROTECT AND FULLY INDEMNIFY THE PURCHASER FROM ANY CLAIMS FOR INFRINGEMENT OF PATENTS, COPY RIGHT, TRADE MARK OF THE LIKE. SELLER SHALL ALSO PROTECT AND FULLY INDEMNIFY THE PURCHASER FROM ANY CLAIMS FROM SELLERS WORKMAN/EMPLOYEES, THEIR HEIRS, DEPENDENTS, REPRESENTATIVES ETC. OR FROM ANY OTHER PERSON/PERSONS OR BODIES/COMPANIES ETC. FOR ANY ACT OF COMMISSION OR OMISSION WHILE EXECUTING THE ORDER. SELLER SHALL BE RESPONSIBLE FOR COMPLIANCE WITH ALL REQUIREMENTS UNDER THE LAWS AND SHALL PROTECT AND INDEMNIFY COMPLETELY THE PURCHASER FROM ANY CLAIMS/PENALTIES ARISING OUT OF ANY INFRINGEMENT.

27.0 SECURITY, BANK GUARANTEE:

- DEPOSIT: SECURTY **DEPOSIT** SECURTY CLAUSE **FOR** a) PERFORMANCE OF SUPPLY @5% OF BASIC VALUE IN SHAPE OF DD/BG/DEDUCTED FROM THE BILL. NO INTEREST WILL BE PAYABLE BY THE OWNER ON THE SAID AMOUNT COVERED UNDER EARNEST MONEY/ OTHER SECURITY DEPOSITS. THE EARNEST MONEY DEPOSITED WITH THE TENDER SHALL BE ADJUSTED TOWARDS INITIAL SECURITY DEPOSIT AT THE OPTION OF THE BIDDER. CONTRACTOR SHALL FURNISH THE INITIAL OR TOTAL SECURITY AMOUNT @5% OF BASIC VALUE IN SHAPE OF BG/DD/DEDUCTED FROM THE BILL.
- b) BANK GUARANTEE (BF) IN THE PRESCRIBED FORMAT FROM ANY NATIONALIZED OR SCHEDULED BANK TO BE SUBMITTED WITHIN

THE SPECIFIED TIME PERIOD. IN ALL THE CASES IF TOTAL SECURITY IS NOT DEPOSITED EITHER IN FORM OF DEMAND DRAFT OR BANK GUARANTEE WITHIN 15 DAYS OF ISSUANCE OF LOI/ORDER THE SECURITY AS MENTIONED ABOVE SHALL BE RECOVERED FROM THE RUNNING BILL OF THE CONTRACTOR. THE BANK GUARANTEE FACILITY SHALL BE EXTENDED TO ONLY COMPANIES OF REPUTE AT THE DISCRETION OF OPGC.

BANK GUARANTEE IN LIEU OF SECURITY DEPOSIT SHALL BE VALID FOR THE ENTIRE CONTRACT PERIOD PLUS ADDITIONAL 03 MONTHS. IN CASE OF ORDER EXTENSION/RENEWAL BANK GUARANTEE TO BE RENEWED ACCORDINGLY.

28.0 LANGUAGE: THE CONTRACT INCLUDING THE PURCHASE ORDER AND ALL SCHEDULES, ANNEXURES (IF ANY) AND RELATED DOCUMENTS AND COMMUNICATIONS AND NOTICES ISSUED PURSUANT TO OR IN CONNECTION WITH ITS PROVISIONS, SHALL BE IN ENGLISH. IN THE EVENT THE CONTRACT, ITS SCHEDULES, ANNEXURES (IF ANY) OR ANY RELATED DOCUMENT IS TRANSLATED INTO OR IS IN ANY OTHER LANGUAGE, THE ENGLISH VERSION THEREOF SHALL TAKE PRECEDENCE AND CONTROL THE INTERPRETATION THEREOF.

PREPARATION OFBID:

The bidder(s)shallsubmitthebid in twopart,namely-

- 1.0 TECHNO-COMMERCIAL UNPRICED BID
- 2.0 COMMERCIAL PRICED BID

PART-I:TECHN-COMMERCIALUNPRICED BID

A completesetoforiginalTenderdocumentsasissuedtothe Bidderdulyfilledinas prescribed indifferentclausesof theTenderdocumentswith signature&stamp inall pages astokenof unconditionalacceptanceshallconstituteTechnocommercialUnpriced Bid.

The biddershallenclosethefollowing documents in this bid:

- CrosseddemanddraftforrequisiteamountdrawninfavorofOdishaPowerGenerati
 onCorporationLtd.inthemannerprescribedabovetowardstheEarnestMoneyDep
 osit (EMD) andTenderCostwithoutwhichthetenderwillbesummarilyrejected.
- Bidder must clearly specify whether they have quoted or Not Quoted & also indicate the make/brand quoted against each item unpriced bid format enclosed in the tender document.
- Bidder must submit all the supporting documents as mentioned in the Qualification Criteria.
- Acceptance of Reverse Auctionas mentioned in the Qualification Criteria.
- GST Certificate copy.
- PAN Certificate copy.
- MSME/NSIC copy of certificate (if applicable).

Note:ifrequiredadditionalsheetmaybeusedtofurnishallaboveinformationbut, in the format, providedingeneral conditions of contract.

NIT No. ITPS/Pur./62/22-23

The Techno-Commercial Unpriced Bid with all its enclosures as mentioned should be put in an envelope, sealed & super scribed as "Techno-Commercial Unpriced Bid". This envelope must contain name of the work, NIT No., Due Date of Opening and Name &Address of the Bidder on bottom left-hand corner of the cover.

PART-II: COMMERCIAL PRICEDBID

Bidder must submit the Commercial Priced Bidina different envelope as mentioned in the table (Price Bid Format).

PriceBids ofonlythosebidders will beopened who meetasperqualificationcriteria givenbelow.TheOwnershallnot entertainanycorrespondencewithanyBidder in relation to the acceptance or rejection of anyPriceBid.

NIT No. ITPS/Pur./62/22-23

QR Committee

Qualifying Requirement for Procurement of "Different Temperature Element" for Unit#3&4 (2x660 MW) for ITPS, OPGC.

The bidders must meet the following Qualifying Requirements with respect to the below.

1. The bidder must be a Manufacturer or their Authorized dealer/ Stockiest of the materials. Authorization certificate/ dealership agreement forwarded by manufacturer etc. shall be submitted as a documentary proof.

AND

2. Bidder must confirm to supply as per technical specification as stipulated in the tender document (Self declaration to be submitted)

AND

- 3. Party should have inline experience for supply *similar product directly to any industry. Relevant Order copies of last five years to be submitted in order to satisfy the following.
 - Three purchase orders for supply of similar product and each purchase order value not less than the amount equal to Rs. 4.5 Lakhs in last five years.

'OR'

• Two purchase orders for supply of similar product and each purchase order value not less than the amount equal to Rs. 5.5 Lakhsin last five years.

'OR'

• One purchase order for supply of similar product and each purchase order value similar product and each purchase order value not less than the amount equal to Rs.9.0Lakhs in last five years.

AND

4. Average Annual financial turnover during the last three Financial Years should be at least Rs. 13.5 Lakh or more. Audited Balance Sheet and profit& Loss A/C must be submitted along with the Techno-commercial Bid.

AND

5. Must not have been disqualified/blacklisted in any public/Govt sector during the last 10(Ten) years for the similar nature of job. (Self-Certification)

Sufficient documentary proof in support of the above must be submitted along with the Techno commercial Bid. Photocopies of supporting documents must be submitted along with Techno commercial Bid.

Note:

- For all qualification criteria all supporting documents to be provided.
- Owner reserves the right to obtain necessary documents and also to assess the qualification of the Bidder, subsequent to submission of bid, as deemed necessary by Owner to establish bidder's qualification.

GM-(SCM)

NIT No. ITPS/Pur./62/22-23 Date: 15/03/2023

^{*}Similar product means supply of "Different Temperature Element".

		Price Bid Fo	orma	t			
SLN	Material Code	Material Details	Qt	UOM	Unit Price	GST %	Total Amount
10	194300162057	RTD WTH FLANGE, EL(MM)=300IL(MM)=900 SPECIFICATION: DUPLEX HEAD TYPE RTD- PT100,MgO INSULATED,ACCURACY OF T/C-CLASS-1 AS PER ANSI MC 96.1,IR->100 OHM @ 500VDC, CONNECTING HEAD-IP67 DIE CAST ALLUMINIUM WITH EPOXY COATING,CERAMIC BLOCK BRASS NI PLATED SPRING LOADED TERMINAL,STEM LENGTH-1200 MM ,INSERTION LENGTH- 900MM,EXTENDED LENGTH-300 MM,ELEMENT OD- 8MM.THERMOWELL- (3/4" SCH-80S) LENGTH-1200 MM,OD-26.7MM ID- 18.8,THERMOWELLL-SS- 316,BAR STOCK TIP-SS316, OD x ID xL- 26.7MMx9MMx100MM,FLA NGE-1.5" ANSI B16.5 150#RF ADJ. FLANGE,OD- 127MM,PCD-98.6MM,4 HOLES 15.7MM,TH:17.5,RF- 73.2,RFT-1.6MM.MOC- ASTM105,NUT BOLTS SS304.GASKET- COMPRESSED FIBRE STYLE-20. Vendor has to submit the drawing for approval before manufacturing.	4	NO		70	
20	194300382053	THERMOCOUPLE, K, EL(MM)=40, IL(MM)=127 SPECIFICATION: DUPLEX UNGROUNDED THERMOCOUPLE 'K' TYPE,SHEATH OD-8MM SS- 316 STD-ANSI MC96.1 ,LENGTH-317 MM,N-U-N- 1/2"NB SCH-80 SS-316, WITH THERMOWELL- PS/Pur./62/22-23	6	NO	Date: 15	/03/20	23

		THREADED (R1.5),INSTRUMEN CONNECTION-M33 X 2(F),THERMOWELL MOC- SOLID TUNGSTEN CARBIDE,SILVER SOLDERING JOINT.THERMOWELL OD- 19.4MM,THEMOWELL ID- 10MM EL(MM)=40 IL(MM)=127,CONNECTION HEAD-IP67. Vendor has to submit the drawing for approval before manufacturing.				
30	194300382051	THERMOCOUPLE, R, EL(MM)=300, IL(MM)=1200 SPECIFICATION: SIMPLEX HEAD TYPE THERMOCOUPLE, ELEMEN T- R-TYPE (Pt-Rh 13% Pt) MgO INSULATED, UNGROUNDED TYPE, WIRE SIZE-24 AWG, ACCURACY OF T/C-CLASS-1 AS PER ANSI MC 96.1, IR->100 OHM @ 500VDC, CONNECTING HEAD-IP67 DIE CAST ALLUMINIUM WITH EPOXY COATING, CERAMIC BLOCK BRASS NI PLATED SPRING LOADED TERMINAL, STEM LENGTH-1500 MM , INSERTION LENGTH- 1200MM, EXTENDED LENGTH-300 MM, ELEMENT OD- 8MM.THERMOWELL- (1/2" SCH-80) LENGTH- 1500 MM, OD-21.3 MM ID- 13.87, THERMOWELLL- ENCONEL 800, BAR STOCK TIP ENCONEL 800, OD x ID xL- 21.3MMx9MMx100MM, F LANGE-1.5" ANSI B16.5 150#RF ADJ. FLANGE, OD- 127MM, PCD-98.6MM, 4 HOLES	3	NO		

		15.7MM,TH:17.5,RF- 73.2,RFT-1.6MM.MOC- ASTM105,NUT BOLTS SS304.				
40	194300382048	THERMOCOUPLE, K, EL(MM)=300, IL(MM)=1200 SPECIFICATION; DUPLEX HEAD TYPE THERMOCOUPLE, ELEMEN T- K-TYPE (Cr-Al) MgO INSULATED, UNGROUNDED TYPE, ACCURACY OF T/C-CLASS-1 AS PER ANSI MC 96.1, IR->100 OHM @ 500VDC, CONNECTING HEAD-IP67 DIE CAST ALLUMINIUM WITH EPOXY COATING, CERAMIC BLOCK BRASS NI PLATED SPRING LOADED TERMINAL, STEM LENGTH-1500 MM, INSERTION LENGTH-1200MM, EXTENDED LENGTH-300 MM, ELEMENT OD-8MM.THERMOWELL-(3/4" SCH-80S) LENGTH-1500 MM, OD-26.7MM ID-18.8, THERMOWELLL-SS316, BAR STOCK TIP-SS316, OD x ID xL-26.7MMx9MMx100MM, FLA NGE-1.5" ANSI B16.5 150#RF ADJ. FLANGE, OD-127MM, PCD-98.6MM, 4 HOLES 15.7MM, TH:17.5, RF-73.2, RFT-1.6MM.MOC-ASTM105, NUT BOLTS SS304.GASKET-COMPRESSED FIBRE STYLE-20. Vendor has to submit the drawing for approval before manufacturing.	8	NO		

50	194300382050	THERMOCOUPLE, K, EL=300MM, IL=900MM, INCONL SPECIFICATION; DUPLEX HEAD TYPE THERMOCOUPLE, ELEMEN T- K-TYPE (Cr-Al) MgO INSULATED, UNGROUNDED TYPE, ACCURACY OF T/C- CLASS-1 AS PER ANSI MC 96.1, IR->100 OHM @ 500VDC, CONNECTING HEAD-IP67 DIE CAST ALLUMINIUM WITH EPOXY COATING, CERAMIC BLOCK BRASS NI PLATED SPRING LOADED TERMINAL, STEM LENGTH-1200 MM ,INSERTION LENGTH- 900MM, EXTENDED LENGTH-300 MM, ELEMENT OD- 8MM.THERMOWELL- (3/4" SCH-80S) LENGTH-1200 MM,OD-26.7MM ID- 18.8, THERMOWELLL- HRS446, BAR STOCK TIP - HRS446, OD x ID xL- 26.7MMx9MMx100MM, FLA NGE-1.5" ANSI B16.5 150#RF ADJ. FLANGE, OD- 127MM, PCD-98.6MM, 4 HOLES 15.7MM, TH: 17.5, RF- 73.2, RFT-1.6MM.MOC- ASTM105, NUT BOLTS SS304.GASKET- COMPRESSED FIBRE STYLE-20. Vendor has to submit the drawing for approval before manufacturing.	6	NO		
60	194300160073	HEADLESS DUPLEX RTD, FAN BRG,M20 SPECIFICATION: "HEADLESS RTD PT 100,HSN/SAC Code: 90251990 ELEMENT TYPE: RTD PT 100 DUPLEX, CALIBRATION STANDARD: As per IEC 60751	10	SET		

		,ACCURACY CLASS: Class B,INSULATION: MgO Filled NO OF LEADS: 4 + 4 wire, SHEATH LENGTH: 120mm SHEATH O.D.: 8mm,SHEATH M.O.C.: SS316 PROCESS CONNECTION: ½" NPT (M),,WITH M22X1.5 MALE TO 1/2" NPT FEMALE ADAPTER, Adj.CABLE: 10mtr Long Tef/Tef/SS Braided Cable" Vendor has to submit the drawing for approval before manufacturing.				
70	194300160074	HEADLESS DUPLEX RTD, SA FAN BRG, SPECIFICATION: HEADLESS RTD-PT100 4 WIRE, FOR SEAL AIR FAN BEARING TEMPERATURE, SHEATH DIA-8MM, IMMERSION LENGTH-175 MM ADJUSTABLE, PROCESS CONNECTION- M18X1.5, WITH 10 MTR TEFLON INSULATED SS JACKETD EXTENSION CABLE, SPRING FIXTURE AT THE CABLE AND ELEMENT JOINT, PROCESS CONNECTION Vendor has to submit the drawing for approval before manufacturing.	6	SET		
80	194300382049	THERMOCOUPLE, K, EL=300MM, IL=1200MM, INCONL SPECIFICATION; DUPLEX HEAD TYPE THERMOCOUPLE, ELEMEN T- K-TYPE (Cr-Al) MgO INSULATED, UNGROUNDED TYPE, ACCURACY OF T/C- CLASS-1 AS PER ANSI MC 96.1, IR->100 OHM @ 500VDC, CONNECTING	10	NO		

		HEAD-IP67 DIE CAST ALLUMINIUM WITH EPOXY COATING, CERAMIC BLOCK BRASS NI PLATED SPRING LOADED TERMINAL, STEM LENGTH-1500 MM , INSERTION LENGTH- 1200MM, EXTENDED LENGTH-300 MM, ELEMENT OD- 8MM.THERMOWELL- (3/4" SCH-80S) LENGTH-1500 MM, OD-26.7MM ID- 18.8, THERMOWELLL- HRS446, BAR STOCK TIP - HRS446, OD x ID xL- 26.7MMx9MMx100MM, FLA NGE-1.5" ANSI B16.5 150#RF ADJ. FLANGE, OD- 127MM, PCD-98.6MM, 4 HOLES 15.7MM, TH:17.5, RF- 73.2, RFT-1.6MM.MOC- ASTM105, NUT BOLTS SS304.GASKET- COMPRESSED FIBRE STYLE-20. Vendor has to submit the drawing for approval before manufacturing.				
90	194300162012	RTD, DUPLEX,4 WIRE, IL-100MM, SPRING LOADED SPECIFICATION: RTD-PT100. Duplex Element,4 Wire, Immersion Length-145 mm, OD-8 mm, Spring Loaded portion-25 mm & OD-6 mm from the front, with 1/2" connection Entry and Cable Gland, With double compression, length Adj. SS-316 1/2" NPT (M) fitting. Vendor has to submit the drawing for approval before manufacturing.	4	EA		

100	194300162013	RTD, DUPLEX,4 WIRE, IL-230MM, SPRING LOADED SPECIFICATION: RTD-PT100. Duplex Element,4 Wire, Immersion Length-280 mm, OD-8 mm, Spring Loaded portion-25 mm & OD-6 mm from the front, with 1/2" connection Entry and Cable Gland, With double compression, length Adj. SS-316 1/2" NPT M fitting. Vendor has to submit the drawing for approval before manufacturing.	4	EA		
110	194300162014	RTD, DUPLEX,4 WIRE, IL- 140MM, STEP SPECIFICATION: RTD-PT100, STEP Type. Duplex Element,4 Wire, Immersion Length-140 mm, OD-8 mm, Step portion-25 mm of OD-6 mm from the front, with 1/2"NPT(M) Double compression length Adj. ferrule Fitting connection Entry and Cable Gland. Vendor has to submit the drawing for approval before manufacturing.	4	EA		
120	194300162015	RTD, DUPLEX,4 WIRE IL-280MM, STEP SPECIFICATION: RTD-PT100.Duplex Element,4 Wire, Immersion Length-350mm, OD-8 mm, Step portion-25 mm of OD-6 mm from the front, with 1/2""NPT(M) Double compression length Adj. ferrule Fitting connection Entry and Cable Gland. Vendor has to submit the drawing for approval before manufacturing.	4	EA		

140	194300380023	THERMOCOUPLE, K TYPE MTM, OD-6mm, LEN-15Mtr specification: THERMOCOUPLE, K TYPE MTM, CONFIGURATION: HEAD LESS ASSEMBLY, NO OF ELEMENT: Duplex, Ungrounded, CALIBRATION STANDARD: As per IEC 60584, ACCURACY CLASS: Standard Tolerance, INSULATION: Compacted MgO, INSULATION RATING: More than 100M ohms at 100VDC at room Temp., NO OF LEADS: 2 + 2 wire, SHEATH LENGTH: 15mtr below Seal Pot, SHEATH O.D.: 6mm, SHEATH M.O.C.: SS 310, HEAD: NA, PROCESS CONNECTION: 1/2" NPT(M) Adj., TERMINATION: 1mtr Long TEF/TEF/SS Braided Cable	4	NO		
150	194300160030	RTD, OD-3MM, L-80MM, L1-110MM,1/2"NPT(M) specification: RTD PT 100, Sheath material-SS316, Sheath dia-3 mm,Element type-PT100 Class A,configuration-Simplex 4 wire,insulation-Ceramic braded with Mgo powder filling,Extention lead-copper,Extention-Nipple Material SS,Length (L)-80 MM,Length(L1)-110 MM,Total length-4 MTR,Cold end termination-with hard crimp with 30 MM long individual and overall teflon insulated with SS braided extension cable with SS sleeve length 100mm with SS316 adjustable union thread M20X1.5(M) with SS bush and viton bush with	5	NO		

		crimp on pot and individual teflon insulated and overall teflon insulated cable, Fitting-				
		1/2"NPT(M), BHEL HYD MAT CODE-FP9750593030, FOR BFP THRUST BRG,without thermowell				
160	194300160059	RTD, OD-12 MM, L- 270MM,1/2"NPT(M), HEADLESS specification: "RTD PT 100, Headless, Sheath material-SS316,OD- 12 MM, Element type-PT100 Class A, configuration-Duplex 4 wire, insulation-Mineral insulated Mgo,Extention lead-copper,Extention- Nipple Material SS,Length(L)-270 MM,1/2""NPT(M) adjustable,Cold end termination-SS spring sleeve with 6 mtr long ,8 core individual PTFE Overall PTFE cable with SS square"	15	NO		
170	194300160013	RTD PT100, SHEATH LEN- 20mm, O.D-3.2mm "RTD PT 100, HSN/SAC Code: 90251990, MAKE: TECHNO, CONFIGURATION: Head Less Assembly,ELEMENT TYPE: RTD PT 100,TEMP. RANGE 0 – 200 Deg C,NO OF ELEMENT :Duplex,CALIBRATION STANDARD: As per IEC 60751,ACCURACY CLASS: Class A,INSULATION: Ceramic beaded high quality Mgo powder compacted with suitable vibrator,INSULATION RATING: More than 100 MΩ at 100 VDC at room Temp.,NO OF LEADS: 3 + 3 Wire, SHEATH LENGTH:	25	NO		

	20mm,SHEATH O.D. : 3.2mm , TERMINATION 3mtr Lon Tef/Tef/SS Braided Cable with cable shoe,Other specification as per attached Drawing TI10008644, FITTING-1) 2nos. cable shoes,2) 2nos. rubber pieces.For TDBFP FJB &RJB Temperature"		
Rupees (In words)		Total	

Bank MANDATE FORM for e-payment (To be submitted in Duplicate)

To,
Odisha Power Generation Corporation Ltd.,
Ib thermal power station,
Banharpali,
Odisha.

Dear Sir,

Sub: - Authorization for release of payment due from OPGC Ltd through e-mode facilities of RTGS / NEFT / Internet Banking.

We are the regular contractor/Supplier to your organization and are executing work /supplying materials under different Contracts/ Purchase Orders to OPGC Ltd. We request you to release the payment of the outstanding amount electronically i.e., through RTGS, NEFT, Fund Transfer or any other suitable way. The details of our bank account are as follows: -

(Please fill in the information in CAPITAL LETTERS. Please TICK wherever it is applicable)

1.0 2.0	Name of the Party:
	City Pin Code
	E-mail ID
3.0	Permanent Account Number
4.0	Telephone/Cell No
	Particulars of Bank:

Bank Name		Branch Name	
Branch Place		Branch City	
Pin code		Branch Code	
MICR No		IFSC Code	
Account Type	Savings:	Current:	Cash Credit:

Account No. (as appearing in the Cheque Book):

(9 Digits code number appearing on the MICR Bank of the cheque supplied by the Bank. Please attachXerox copy of a chqeue of your bank for ensuring accuracy of the bank name, branch name & code and Account number)

6.0	Date	from	which	the	mandate	should	he	effective
U.U	Date	11 0111	WILL	uic	manuaic	SHOUIU	ν	CHCCHVC

I hereby declare that the particulars given above are correct and complete. If any transaction is delayed or not effected for reasons of incomplete or incorrect information, I shall not hold Odisha Power Generation Corporation Ltd responsible. I also undertake to advise any change in the particulars of my account to facilitate updation of records for purpose of credit of amount through internet / RTGS / NEFT.

Place:	
Date:	Signature of the Party / Authorized Signatory
Certified that particulars fu	arnished above are correct as per our records.
Bank's Stamp:	
Date: Banks)	(Signature of the Authorized Official from the

PROFORMA FOR BANK GUARANTEE IN LIEU OF DD FOR EARNEST MONEY

(On Non-Judicial stamp paper of appropriate value) Ref: Date: Bank Guarantee No. To, Odisha Power Generation Corporation Ltd., Ib Thermal Power Station, At/Po-Banharpali, Dist.-Jharsuguda -768234. Dear Sir. In consideration of Odisha Power Generation Corporation having its Registered office at 7th.Floor, Zone - A, Fortune Towers, Chandrasekharpur, Bhubaneswar-751 023 (hereinafter called the "Owner" which expression shall unless repugnant to the subject or context include its successors and assigns) having issued Tender Dated Specification Against NIT No. its Registered/ Head office having _____ (hereinafter called the Bidder) who wishes to participate in the said tender for and you, as a special favor, have agreed to accept an irrevocable and unconditional Bank Bid Guarantee for an amount of Rs._____valid up to _____ On behalf of the Bidder, as a condition for participation in the said tender. We, incorporated the Bank under law and having one of our branches _____ and having our Registered office/Head office at do here by unconditionally and irrevocably guarantee and undertake to pay to the "Owner" immediately on demand without any demur reservation, protest, contest and recourse to the extent of the said sum ____ (Rupees only). Any such claim/demand made by the said "Owner" on us shall be conclusive and binding on us irrespective of any dispute or differences raised by the Bidder. This guarantee shall be irrevocable and shall remain valid up to ______. If any further extension of this guarantee is required, the same shall be extended to such required period on receiving instructions from M/s._____ on whose behalf this guarantee is issued. We, the said Bank lastly undertake not to revoke this guarantee during its currency except with the previous consent of the owner in writing and agree that any change in the constitution of the said tenderer or the said Bank shall not discharge our liability. In witness where of the Bank, through its authorized officer, has set its hand and stamp on this _____ day of ____ 20_____.

Witness:	
(Signature)	(Signature)
	<u> </u>
Name	Name (Designation with Bank stamp) Official Address
	Attorney as per Power of Attorney No Date

PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE

(On Non-Judicial Stamp paper of Appropriate Value)

1.0	In consideration of OPGC Ltd. Having its registered office at Zone-A, 7th Floor, Fortune Tower, Chandrasekaharpur, Bhubaneswar-751023, Odisha herein-in after called the "Owner" which expression shall unless repugnant to the subject or context include its successor & assignees) having awarded to M/s
	contractor(s) of the terms and conditions contained in the said agreement.
2.0	We
3.0	We
4.0	We further agree that the (Name of Bank)guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall

continue to be enforceable till all dues of OPGC have been fully paid and its claims satisfied or discharged until OPGC certifies that the terms & conditions of the said Agreement have been fully and properly carried out by the said contractor(s) and accordingly discharges this guarantee.

- 6.0 This guarantee will not be discharged due to the change in the name, style and constitution of the Bank or the contractor(s)/suppliers(s).
- 7.0 Notwithstanding anything contained herein:

 - b) This bank guarantee shall be valid up to
- 9.0 Notwithstanding anything contained hereinabove our liability under this guarantee is restricted to Rs.....

(Rupees.....

WITNESS with address	For and on behalf of (the Bank)	
1		
•	Signature	
2	Name	