	Format I	No: ER 5/10– F2,	JOB SAFE	TY ANALYSIS (JSA)	, IB THERMAL POW	ER STATION, OPGC			
Serial No.									
	Main Plant Civil		Main Plant	Development of ETP, PTP and CTBD area inside Main Plant at ITPS (Phase-II)					
JSA performed by:	Signature	Reviewed & Approved by	Signature	Date of Issue	Date of revision			Revision No-	
					nce to identify the Ha	azard type)			
PHYSICAL HAZARDS	PHYSICAL HAZARDS	PHYSICAL HAZARDS	ELECTRICAL	CHEMICAL/ GAS	EX	CAVATION	OTHERS		
	- 116 1 1 1 1	- (- (- 1)	HAZARDS	HAZARDS	o II				
Noise	Fall from height	Force (Push/Pull)	Shock/	Flammable/	Collapse/Sliding		Fire		
			Electrocution	Explosive					
Radiation	Fall (Slip/Trip)	Caught in/on or	Static	substances	Underground live cal	alo damago	Heavy Wind/Rain		
Radiation	raii (Siip/ IIIp)	between	electricity	fumes	Onderground live car	ne uamage	Heavy Willia/ Kalli		
Confined space	Fall down/below	Struck by/against	Arcflash/ blast	Ingestion/Absorpt	FRGONOMICS		Dust exposure		
commed space	an down, below	Struck by/ against	Archash, blast	ion	LINGONOMICS		Dust exposure		
Exposure to	Fall of Objects from	Extreme weather	BIOLOGICAL	Body/Eye Contact	Poor Posture		Oil spill		
1 ⁻	1	(Hot/Cold)	HAZARDS	" '					
Steam/Air		(**************************************							
Contact with Hot	Contact with	Poor illumination	Snake/Insect	Spillage	Repeatative motion		Human factor		
surface	moving parts		bite/Virus						
			infection						
PPEs to be used		and gloves ,safety helmet, Nose mask, Ear plug/muff, Safety goggles, reflective vest, etc.							
Tools required						r, line and pins, measuring bo	x, measuring tape, plumb bob	o, sand screen, spade,	
		trol measures, consider		ard control steps in					
SEQUENCE OF	BASIC STEPS	SAFETY, HEALTH & ENVIROMENT				6 / HAZARD CONTROL MEASU		Are control	
		HAZARD	OS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)	
Excavation and back fil	lling work.	Electrocution/Shock fro	om			Ensure the proper isolation	Safety shoes, hand gloves	Yes	
	J	underground/burried				and put local LOTO on the	,safety helmet, safety		
						RCCB/Main switch. Ensure	goggles, nose mask, ear		
						zero voltage before starting			
						the job. Use insulation mat			
						while doing isolation.			
						6			
		Body injury (Slip/trip)				Have a 360 degree vision	Safety shoes, hand gloves	Yes	
						and be alert about the area	,safety helmet, safety		
						of work. Use proper and	goggles, nose mask, ear		
						healthy tools.	plug/muff		

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)
	Body eye conact/ hand/leg injury while digging/manual excavation			Engage inline experienced work person, Use healthy and tested Tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves	Yes
	Collapse/sliding of soil			Keep the excavated soil at a distance of 1 mtr from the excavated pit/trench. Barricade the area of work.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear	
	Dust/Ash/fumes			Keep dust/fume mask with you. Use wherever needed.Check, whether the filters of the mask are clean before using. Use clean	,safety helmet, safety goggles, nose mask, ear	Yes
	Fall of person inside excavated pit/trench			Barricade the working area with hard barrication. Use caution tapes and barriers wherever required.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
PCC and RCC work and Masonay Work	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff, gum boots.	Yes
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools. Use rubber hand gloves to avoid direct contact with cement.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff, gum boots.	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff. gum boots.	Yes

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)
Reinforcement, Centering and shuttering work	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools.Use safety goggles to avoid any foreign material to go inside your eye.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Fall of ladder/platform		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Ensure healthiness of ladder and its rungs before work. The ladder/platform should be placed on a flat and rigid surface.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Falling from height of workmen		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Use A-type FRP Ladder and one person must be holding the ladder at the time of climbing/decending. Have a firm grip on the ladder/platform and maintain a 3-point contact while climbing/decending on the ladder/platform. In case of scaffolding, ensure height work permit.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
Removing of construction debris.	Body injury (Slip/trip)		7A 3 of 5	Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes

Page 3 of 5

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools. Use safety goggles to avoid any foreign material to go inside your eye.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Dust/Ash/fumes			Keep dust/fume mask with you. Use wherever needed.Check, whether the filters of the mask are clean before using. Use clean	,safety helmet, safety goggles, nose mask, ear	Yes
	Falling of Object from height			Proper supervision to be done, restrict unauthorized entry to the workplace.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear olug/muff	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear olug/muff	Yes
Tractor loading and unloading for shifting of materials at site.	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools.Use safety goggles to avoid any foreign material to go inside your eye.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Dust/Ash/fumes			Keep dust/fume mask with you. Use wherever needed.Check, whether the filters of the mask are clean before using. Use clean	,safety helmet, safety goggles, nose mask, ear	Yes

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control				
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)	
	Falling of Object from height			done, restrict unauthorized entry to the workplace.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear	Yes	
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about	Safety shoes, hand gloves	Yes	
Emergency Safety Measures (Rescue/Fire Brigade etc):		Emergency Contacts-Main Control Room- 222, 233,244, Fire- 777, 222257, Ambulance- 248/337, Hospital-666					
Overal Job Risk Category-	HIGH					•	
JSA Review during PJB:							
Pre Job Briefing (PJB) is applicable to all pe	rsons involved with the task.						
Pre Job Briefing (PJB) Acknowledgement: I	undertake that the JSA is communicated	d to me effectively					
Name	Agency's name	Signature					