	Format I	No: ER 5/10– F2,	JOB SAFE	TY ANALYSIS (JSA)	, IB THERMAL POW	ER STATION, OPGC			
Serial No.	Department	Equipment	Location	Job description:					
	Main Plant Civil		Main Plant Area	Construction of Maintenance Shed & Bike Stand at CHP-2					
JSA performed by:	Signature	Reviewed &	Signature	Date of Issue	Date	e of revision		Revision No-	
		Approved by							
					nce to identify the Ha			_	
PHYSICAL HAZARDS	PHYSICAL HAZARDS	PHYSICAL HAZARDS	ELECTRICAL	CHEMICAL/ GAS	EX	CAVATION	OTHERS		
			HAZARDS	HAZARDS					
Noise	Fall from height	Force (Push/Pull)	Shock/	Flammable/	Collapse/Sliding		Fire		
			Electrocution	Explosive					
				substances					
Radiation	Fall (Slip/Trip)	Caught in/on or	Static		Underground live cal	ole damage	Heavy Wind/Rain		
2 0 1	_ , , , , ,	between	electricity	fumes					
Confined space	Fall down/below	Struck by/against	Arcflash/ blast	Ingestion/Absorpt	ERGONOMICS		Dust exposure		
Exposure to	Fall of Objects from	Extreme weather	BIOLOGICAL	Body/Eye Contact	Poor Posture		Oil spill		
pressurised		(Hot/Cold)	HAZARDS	", , ,					
Steam/Air		(**************************************							
Contact with Hot	Contact with	Poor illumination	Snake/Insect	Spillage	Repeatative motion		Human factor		
surface	moving parts		bite/Virus		•				
	0,1		infection						
PPEs to be used	Safety shoes, hand g	loves ,safety helmet, No	se mask, Ear plu	ig/muff, Safety gogg	les, reflective vest, etc	<u> </u>			
Tools required	Hoe, pick axe, spade	, digging bar, measuring	box, head pan,	masonry trowel, circ	cular saw, float, ladde	r, line and pins, measuring bo	x, measuring tape, plumb bol	o, sand screen, spade,	
Important Note- While	deciding hazard con	trol measures, consider	hierarchy of haz	ard control steps in	order of preference.				
SEQUENCE OF	BASIC STEPS	SAFETY, HEALTH & I	NVIROMENT		SAFE JOB STEPS	/ HAZARD CONTROL MEASU	JRES	Are control	
		HAZARD	S	Elimination/	Engineering	Administrative	PPE	Measures adequate	
				Substitution				to mitigate the risk	
								(Yes/No)	
								, ,	
Excavation for plinth, o	Irains flooring and	Electrocution/Shock fro				Ensure the proper isolation	Safety shoes, hand gloves	Yes	
•	_	underground/burried				and put local LOTO on the	,safety helmet, safety	162	
brick work and back fii	iings	lunderground/burried (	abies			1 '			
						RCCB/Main switch. Ensure	goggles, nose mask, ear		
						zero voltage before starting	plug/muff		
						the job. Use insulation mat			
						while doing isolation.			
		Body injury (Slip/trip)				Have a 360 degree vision	Safety shoes, hand gloves	Yes	
						and be alert about the area	,safety helmet, safety		
						of work. Use proper and	goggles, nose mask, ear		
						healthy tools.	plug/muff		

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Are control Measures adequate to mitigate the risk (Yes/No)  Yes  Yes  Yes  Yes  Yes
	Body eye conact/ hand/leg injury while digging/manual excavation			Engage inline experienced work person, Use healthy and tested Tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	goggles, nose mask, ear	Yes
	Collapse/sliding of soil			Keep the excavated soil at a distance of 1 mtr from the excavated pit/trench.  Barricade the area of work.	,safety helmet, safety goggles, nose mask, ear	
	Dust/Ash/fumes			Keep dust/fume mask with you. Use wherever needed.Check, whether the filters of the mask are clean before using. Use clean	,safety helmet, safety goggles, nose mask, ear	Yes
	Fall of person inside excavated pit/trench			Barricade the working area with hard barrication. Use caution tapes and barriers wherever required.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
Concrete work for plinth, drains , flooring and PCC for foudation.	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff, gum boots.	Yes
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools. Use rubber hand gloves to avoid direct contact with cement.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff, gum boots.	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear nlug/muff, gum boots.	Yes

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)
Cement plaster/ punning (finishing work) for plinth drain and flooring	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools. Use rubber hand gloves to avoid direct contact with cement.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
Brick work for foundation and superstructure.	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves	Yes
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear olug/muff	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves	Yes
	Falling of Object from height			Proper supervision to be done, restrict unauthorized entry to the workplace.	Safety shoes, hand gloves	Yes

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)
	Falling of workmen from height		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Use A-type FRP Ladder and one person must be holding the ladder at the time of climbing/decending. Have a firm grip on the ladder/platform and maintain a 3-point contact while climbing/decending on the ladder/platform. In case of platforms, ensure that top rail and midrails are healthy and strong.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
Dismantling of brickwork and cement concrete, GCI Sheets	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear olug/muff	Yes
	Falling of Object from height			Proper supervision to be done, restrict unauthorized entry to the workplace.	Safety shoes, hand gloves	Yes
Priming & painting of Structure	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)
	Body eye conact/ hand injury			Engage inline experienced work person, Use healthy and tested Tools.Use safety goggles to avoid any foreign material to go inside your eye.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Fall of ladder/platform		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Ensure healthiness of ladder and its rungs before work. The ladder/platform should be placed on a flat and rigid surface.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear olug/muff	Yes
	Falling of workmen from height		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Use A-type FRP Ladder and one person must be holding the ladder at the time of climbing/decending. Have a firm grip on the ladder/platform and maintain a 3-point contact while climbing/decending on the ladder/platform. In case of platforms, ensure that top rail and midrails are healthy and strong.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
				Ensure that the rungs are not damaged. Have a clear vision of the area before climbing, to avoid hitting hanging objects.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)
Fixing of colour coated sheets	Electrocution			Ensure the insulation of grinding and steel cutting machine and its cable. Ensure that the power source is from a 30mA	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Noise from drill machine			Use good quality ear plugs/muffs. Take rest in between the job. Do not expose yourself to	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Fall of ladder/platform		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Ensure healthiness of ladder and its rungs before work. The ladder/platform should be placed on a flat and rigid surface.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Falling of Object/ tools from height			Proper supervision to be done, restrict unauthorized entry to the workplace, ensuring height work	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Falling of workmen from height'		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Use A-type FRP Ladder and one person must be holding the ladder at the time of climbing/decending. Have a firm grip on the ladder/platform and maintain a 3-point contact while climbing/decending on the ladder/platform. In case of platforms, ensure that top rail and midrails are healthy and strong.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		SAFE JOB STEPS	S / HAZARD CONTROL MEASU	JRES	Are control	
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)	
Errection of Pipe scaffolding and aluiminium scaffolding for working at height.	Falling of workmen from height		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Use A-type FRP Ladder and one person must be holding the ladder at the time of climbing/decending. Have a firm grip on the ladder/platform and maintain a 3-point contact while climbing/decending on the ladder/platform. In case of scaffolding, ensure height work permit.	,safety helmet, safety goggles, nose mask, ear plug/muff	Yes	
	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and healthy tools.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes	
	Fall of ladder/platform		Ensure that the ladder/platform should be placed on a flat and rigid surface.	Ensure healthiness of ladder and its rungs before work. The ladder/platform should be placed on a flat and rigid surface.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes	
	Poor Posture			Take Rest in between the job. Do not overstrech your body. Keep in mind about your body limits.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear olug/muff	Yes	
Tractor loading and unloading for shifting of materials at site.	Body injury (Slip/trip)			Have a 360 degree vision and be alert about the area of work. Use proper and	Safety shoes, hand gloves	Yes	
	Body eye conact/ hand injury		ê 7 of 8	Engage inline experienced work person, Use healthy and tested Tools.Use safety goggles to avoid any foreign material to go inside your eye.	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes	

Page 7 of 8

SEQUENCE OF BASIC STEPS	SAFETY, HEALTH & ENVIROMENT		Are control			
	HAZARDS	Elimination/ Substitution	Engineering	Administrative	PPE	Measures adequate to mitigate the risk (Yes/No)
	Dust/Ash/fumes			Keep dust/fume mask with you. Use wherever needed.Check, whether the filters of the mask are clean before using. Use clean	,safety helmet, safety goggles, nose mask, ear	Yes
	Falling of Object from height			Proper supervision to be done, restrict unauthorized	Safety shoes, hand gloves ,safety helmet, safety goggles, nose mask, ear plug/muff	Yes
	Poor Posture			job. Do not overstrech your	Safety shoes, hand gloves	Yes
Emergency Safety Measures ( Rescue/Fire E	Brigade etc):	<b>Emergency Contact</b>	s-Main Control Roon	n- 222, 233,244, Fire- 777, 222	257, Ambulance- 248/337, F	lospital-666
Overal Job Risk Category-	HIGH			,		
JSA Review during PJB:				·		
Pre Job Briefing (PJB) is applicable to all per						
Pre Job Briefing (PJB) Acknowledgement: I	undertake that the JSA is communicate	d to me effectively				
Name	Agency's name			Signature		
						_